

Kelio

WHAT'S NEW KELIO V4.3


NEW FEATURES SOFTWARE

ADMINISTRATION

Mass entry

To help you save time when entering data, Kelio offers a mass entry option.

This function is available for the following concepts: customisable fields, biometric user, service, access profile, etc.



VISITOR MANAGEMENT

Creation wizard for recurring visits


It's now easier than ever to manage your recurring visits if someone is going to be visiting for several days at a time, for example. If your visitor leaves earlier than the last scheduled day of their visit, you can also change a single occurrence in the series.

Host alerts

You can now notify the host and another person when the visitor arrives. This will enable an assistant to stay up to date in real time and attend to visitors while they wait, for example.

Attaching documents to visits

Make sure your visitors arrive safely at your premises and provide them with a map, instructions, etc. In our visit templates, you can attach two documents that could be useful for your visitor. You can also attach two other documents in the email reminder.



Describes dellass	Secretaria e dialita
Receive visitors	Employee visits
✓ Seno warning by email to the email address	
☑ Recipient en	nail Other address
Send warning by SMS to the number	
☐ Visitor to other sites	

NEW FEATURES HARDWARE

ACCESS READERS











- o IP65/IK08
- Perfect for outdoor use
- OLED screen
- SFM6020 biometric reader
- MIFARE DESFire reader
- 12 V power supply
- RS485 connection
- o 230 V 1 A relay

- o IP54
- OSDP V2 two-way protocol
- Compatibility: EM 125 kHz/ MIFARE DESFire
- PoE or RS485 power supply
- 230 V 1 A relay

- o IP54
- o IK10
- o Perfect for outdoor use
- Push button
- Surface or flush-mounted
- Compatibility: EM 125 kHz/ MIFARE DESFire
- RS485 power supply

- Ultra-rapid facial recognition
- LCD touchscreen
- Live Face Detection
- o 2,000 users per reader
- Template centralisation
- Perfect for indoor use
 - 24 V DC power supply

- Ultra-compact facial recognition reader
- Compatibility:
 BLE/NFC/EM 125 kHz/
 MIFARE DESFire
- Live Face Detection
- o 2,000 users
- 24 VDC power supply

OUR SERVICES KELIO

KELIO SERVICES











